

20 MAY 1983

STAT

MEMORANDUM FOR:

DDI/OIA Logistics

STAT

FROM:

Building Planning Staff, OL

SUBJECT:

Headquarters Building Expansion

1. The following information was relayed to Robert Formisano of Smith, Hinchman & Grylls:

Add to the existing mensuration laboratory equipment:

- a. (4) 30" x 30" microprocessors, one to be placed with each of the existing pieces of mensuration equipment.
- b. The dimension of the plotter should be changed to 10'.

2. Attached is a typical furniture plan for one special analyst. A mirror image will show you a typical two-man analyst office. The numbers correspond to the furniture list.

STAT

Attachment:

As Stated

Distribution:


Orig - Adse, w/att

1 - OL/BPS, w/att (File: OIA Space Requirements)


STAT

OL/BPS

(20 May 83)



**Workstation L**  
**150 SF**  
**Special Analyst**



## Legend


- 1 Desk Chair
- 2 Sec'y Chair
- 3 Side Chair
- 4 Arm Chair
- 5 Lounge Chair
- 6 Sofa
- 7 Table Desk, 80" Oval
- 8 Table Desk, 72" Oval
- 9 Desk, 72" x 36"
- 10 Desk Top, 72" x 36"
- 11 Table Desk, 72" x 24"
- 12 Table Desk, 48" x 24"
- 13 Table Desk, 36" x 24"
- 14 Machine Table, 36" x 30"
- 15 Machine Table, 30" x 24"
- 16 Coffee Table, 48" x 24"
- 17 Side Table, 24" x 24"
- 18 Light Table
- 19 Credenza
- 20 Bookcase/Vertical Storage
- 21 Lateral File, 2-Drawer
- 22 Lateral File, 5-Drawer
- 23 File, 15" x 28"
- 24 Flat File
- 25 Overhead Storage, 36"
- 26 Overhead Storage, 30"
- 27 Task Light
- 28 Table Light
- 29 Coat Hook

SECRET


CENTRAL INTELLIGENCE AGENCY  
HEADQUARTERS BUILDING  
ANGLEY, VIRGINIA

## A.6. SPACE PROFILES

A.6.b. DDI; OIA



2 - Analyst Rooms @ 300 sq ft each



A.6.b. OIA 1

3 March 1983

SECRET